





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

Tax Invoice					GSTIN:21AACCC7431N1ZQ						
Invoice No:		CEMC/2018-19/04/25			Transport Mode: NA						
Invoice Date:		12.04.2019			Vehicle number: NA						
Reverse Charge(Y/N)				N	Date of Supply: NA						
State:		Odisha	Code	21	Place of Supply: NA						
Work Order No & Date ABL/EQ/ARARL/17-18/35											
Bill to Party					Ship to Party						
Name:		M/S Dilp Buildcon Limited			Name:		M/S Dilp Buildcon Limited				
Address:		Visakhapatnam			Address:		Visakhapatnam				
GSTIN:		37AACCD6124B125			GSTIN:		37AACCD6124B125				
State			Code	37	State:			Code	37		
S.N	Product Description				SAC Code	Taxable Value	CGST/S		IGST		Total
o.							Rat	A	Rate	Amount	
	Environment Monitoring Service For the month of April 2019										
sl	Description	Total Sample	Rate Per Sample								
1	Air Quality Monitoring	3	2835.00	998346	8,505.00		18%	1530.90		10,035.90	
2	Noise Monitoring	2	270.00	998346	5,400.00		18%	92.20		6,372.20	
3	Drinking Water analysis	5	3582.00	998346	17,910.00		18%	3,228.80		21,138.80	
4	Soil Testing	3	2880.00	998346	8,640.00		18%	1,555.20		10,195.20	
5	DG Set Monitoring	2	2700.00	998346	5,400.00		18%	9,72.00		6,372.00	
TOTAL						40,995.00		18%	7,379.10	48,374.10	
Total invoice amount in words							Total Amount before Tax		40,995.00		
Rupees Forty eight thousand three hundred and seventy four rupees & eighty paise only							Add: CGST/SGST		0.00		
							Add: IGST		7,379.10		
							Total Tax Amount		7,379.10		
							Total Amount after Tax:		48,374.10		
Bank Details											
Bank Name: Axis Bank, Chandrasekharpur											
Bank A/C:915030039316189											
Bank IFSC:UTIB0000381											
Terms&conditions				GST ON Reverse Charge							
The payments are to be made in favour of Center For Envotech & Management Consultancy Pvt.Ltd.Payable at Bhubaneswar only.				Certified that the particulars given above are true and correct							
				For CEMC Pvt.Ltd.							
											
				Authorized Signatory							



CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/0001

Date: 02-02-2019


Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sonyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Description of Sample	AMBIENT AIR MONITORING
Location Name	Near LT crusher 55 area(Anankapalli Base Camp-2)
Date of Monitoring	28-01-2019
Date of analysis	29-01-2019

AMBIENT AIR MONITORING REPORT

Sl. No	Parameter	Units	Result	APPCB Standards	Method Reference
01	Particulate Matter-PM _{2.5}	µg/m ³	42.1	<60	40 CFR –USEPA Gravimetric Method
02	Particulate Matter-PM ₁₀	µg/m ³	73.5	<100	IS – 5182 (PART- 4) : 1999
03	Sulphur dioxide -SO ₂	µg/m ³	59.4	<80	IS – 5182 (PART- 4) : 1999
04	Oxides of Nitrogen -NO _x	µg/m ³	48.8	<80	IS – 5182 (PART- 6) : 1999

Note : All the Above Results are Below the APPCB Standards & Satisfactory.


Authorized Signatory





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/0002

Date: 02-02-2019


Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sontyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Description of Sample	AMBIENT AIR MONITORING
Location Name	Near RMC plant Area(Saripalli –Sub Base camp)
Date of Monitoring	28-01-2019
Date of analysis	29-01-2019

AMBIENT AIR MONITORING REPORT

Sl. No	Parameter	Units	Result	APPCB Standards	Method Reference
01	Particulate Matter-PM _{2.5}	µg/m ³	46.4	<60	40 CFR –USEPA Gravimetric Method
02	Particulate Matter-PM ₁₀	µg/m ³	76.9	<100	IS – 5182 (PART- 4) : 1999
03	Sulphur dioxide -SO ₂	µg/m ³	61.3	<80	IS – 5182 (PART- 4) : 1999
04	Oxides of Nitrogen -NO _x	µg/m ³	51.7	<80	IS – 5182 (PART- 6) : 1999

Note : All the Above Results are Below the APPCB Standards & Satisfactory.


Authorized Signatory





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/0003 Date: 02-02-2019

Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sontyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Description of Sample	AMBIENT AIR MONITORING
Location Name	Near WMM plant Area (Anandapuram Base camp-1)
Date of Monitoring	28-01-2019
Date of analysis	29-01-2019

AMBIENT AIR MONITORING REPORT

Sl. No	Parameter	Units	Result	APPCB Standards	Method Reference
01	Particulate Matter-PM _{2.5}	µg/m ³	51.6	<60	40 CFR –USEPA Gravimetric Method
02	Particulate Matter-PM ₁₀	µg/m ³	78.3	<100	IS – 5182 (PART- 4) : 1999
03	Sulphur dioxide -SO ₂	µg/m ³	57.6	<80	IS – 5182 (PART- 4) : 1999
04	Oxides of Nitrogen -NO _x	µg/m ³	47.1	<80	IS – 5182 (PART- 6) : 1999

Note : All the Above Results are Below the APPCB Standards & Satisfactory.

Flahy
Authorized Signatory





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/0004	Date: 02-02-2019
Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sonyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Description of Sampling	Stack Emission Monitoring
Stack Name	DG Set -125 KVA(Near Anakapalli Base Camp-2)
Date of Monitoring	28-01-2019
Date of analysis	29-01-2019

STACK DETAILS

Stack diameter	: 0.98mtrs
Stack cross sectional area	: 0.676 (sq m)
Stack Height	: 10mtrs
Ambient temperature	: 37 ⁰ c
Flue gas temperature	: 115 ⁰ c
Velocity of flue gases	: 8.2 m/sec
Flow rate	: 19,283Nm ³ /hr

STACK EMISSION REPORT

Sl. No	Parameter	Units	Result	Standards	Protocol
01	Suspended particulate matter	mg/Nm ³	74.2	<115	IS – 11255 (PART-1),1985
02	Sulphur dioxide (SO ₂)	mg/Nm ³	77.9	<800	IS – 11255 (PART-2),1985
03	Oxides of Nitrogen	mg/Nm ³	66.3	<600	IS – 11255 (PART-6),1985

Note : All the Above Results are Below the APPCB Standards & Satisfactory.


Authorized Signatory





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/0005	Date: 02-02-2019
Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sonyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Description of Sampling	Stack Emission Monitoring
Stack Name	DG Set - 400 KVA(Near Anandapuram Base Camp-1)
Date of Monitoring	28-01-2019
Date of analysis	29-01-2019

STACK DETAILS

Stack diameter	: 0.98mtrs
Stack cross sectional area	: 0.676 (sq m)
Stack Height	: 10mtrs
Ambient temperature	: 37(°c)
Flue gas temperature	: 140 (°c)
Velocity of flue gases	: 9.3 m/sec
Flow rate	: 20,515Nm ³ /hr

STACK EMISSION REPORT

Sl. No	Parameter	Units	Result	Standards	Protocol
01	Suspended particulate matter	mg/Nm ³	87.3	<115	IS – 11255 (PART-1),1985
02	Sulphur dioxide (SO ₂)	mg/Nm ³	82.9	<800	IS – 11255 (PART-2),1985
03	Oxides of Nitrogen	mg/Nm ³	71.4	<600	IS – 11255 (PART-6),1985

Note : All the Above Results are Below the APPCB Standards & Satisfactory.

Flahu
Authorized Signatory





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/006

Date: 02-02-2019

Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sontyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Description of Sample	Drinking Water
Location	Near(Anakapalli Base camp-2)
Date of Sample Collection	28-01-2019
Date of analysis	29-01-2019


DRINKING WATER

Physical Tests:-

Sl.No	Parameter	Units	Standards	Result
01	pH	---	6.5 to 8.5	7.3
02	Color	Hazen	5	1.4
03	Odor	---	UOB	Odorless
04	Taste	---	Agreeable	Agreeable
05	Turbidity	NTU	5	1.1
06	Total Dissolved solids	Ppm	500	37
07	Electrical Conductivity	μ mhos/cm	---	64

General&Non Metallic:-

08	Total hardness as CaCO ₃	Ppm	300	5.3
09	Alkalinity	Ppm	200	4.7
10	Chlorides as Cl	Ppm	250	2.2
11	Fluoride as F ⁻	Ppm	1.0	0.35
12	Sulphate as So ₄	Ppm	200	1.7
13	Residual Free Chlorine	Ppm	0.2	NIL
14	Cyanide as Cn	Ppm	0.05	NIL
15	Nitrates as NO ₃	Ppm	45	1.4



Regd. Office: 1st Floor, N-5/305, IRC Village, Nayapalli, Bhubaneswar-751015, Odisha, India

Branch Office: Plot No-142/1, Eruvada Junction, Sabbavaram, Visakhapatnam-531035

E-mail: cemc.rasp@gmail.com | sepl.sjn@gmail.com, Mobile: 80199 55444, 333



CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.


Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

TRACE METALS:-

16	Magnesium hardness as CaCO ₃	Ppm	30	1.6
17	Copper as Cu	Ppm	0.05	BDL
18	Iron as Fe	Ppm	0.30	0.018
19	Cadmium as cd	Ppm	5	0.6
20	Manganese as Mn	Ppm	0.1	BDL
21	Calcium hardness as CaCO ₃	Ppm	75	2.7

Note: All the results are below the APPCB standards & satisfactory.

Haluk
Authorized Signatory





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/007

Date: 02-02-2019

Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sonyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Description of Sample	Drinking Water
Location	Near(Anandapuram Base camp-1)
Date of Sample Collection	28-01-2019
Date of analysis	29-01-2019


DRINKING WATER

Physical Tests:-

Sl.No	Parameter	Units	Standards	Result
01	pH	---	6.5 to 8.5	7.5
02	Color	Hazen	5	1.7
03	Odor	---	UOB	Odorless
04	Taste	---	Agreeable	Agreeable
05	Turbidity	NTU	5	1.3
06	Total Dissolved solids	Ppm	500	28
07	Electrical Conductivity	μ mhos/cm	---	56

General&Non Metallic:-

08	Total hardness as CaCO ₃	Ppm	300	5.1
09	Alkalinity	Ppm	200	4.3
10	Chlorides as Cl	Ppm	250	1.8
11	Fluoride as F ⁻	Ppm	1.0	0.30
12	Sulphate as So ₄	Ppm	200	1.5
13	Residual Free Chlorine	Ppm	0.2	NIL
14	Cyanide as Cn	Ppm	0.05	NIL
15	Nitrates as NO ₃	Ppm	45	1.1



Regd. Office: 1st Floor, N-5/305, IRC Village, Nayapalli, Bhubaneswar-751015, Odisha, India
Branch Office: Plot No-142/1, Eruvada Junction, Sabbavaram, Visakhapatnam-531035
E-mail: cemc.rasp@gmail.com | sepl.sjn@gmail.com, Mobile: 80199 55444, 333



CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.


Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

TRACE METALS:-

16	Magnesium hardness as CaCO ₃	Ppm	30	1.9
17	Copper as Cu	Ppm	0.05	BDL
18	Iron as Fe	Ppm	0.30	0.015
19	Cadmium as cd	Ppm	5	0.9
20	Manganese as Mn	Ppm	0.1	BDL
21	Calcium hardness as CaCO ₃	Ppm	75	3.2

Note: All the results are below the APPCB standards & satisfactory.


Authorized Signatory





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/0008


Date: 02-02-2019

Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sontyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Date of sample collection	28-01-2019
Description of Sample	Bore well Water(Near RMC plant-pinagadi)

WATER ANALYSIS

Physical Tests:-

Sl.No	Parameter	Units	Result
01	pH	---	7.06
02	Color	Hazen	4.2
03	Odor	---	Odorless
04	Taste	---	Agreeable
05	Turbidity	NTU	7.2
06	Total Dissolved solids	Ppm	508
07	Electrical Conductivity	μ mhos/cm	949
General&Non Metallic:-			
08	Total hardness as CaCO ₃	Ppm	174
09	Alkalinity	Ppm	118
10	Chlorides as Cl	Ppm	124
11	Fluoride as F ⁻	Ppm	0.58
12	Sulphate as So ₄	Ppm	10.2
13	Residual Free Chlorine	Ppm	<0.1
14	Cyanide as Cn	Ppm	NIL
15	Nitrates as NO ₃	Ppm	5.4



Regd. Office: 1st Floor, N-5/305, IRC Village, Nayapalli, Bhubaneswar-751015, Odisha, India

Branch Office: Plot No-142/1, Eruvada Junction, Sabbavaram, Visakhapatnam-531035

E-mail: cemc.rasp@gmail.com | sepl.sjn@gmail.com, Mobile: 80199 55444, 333




CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

TRACE METALS:-

16	Magnesium hardness as CaCO ₃	Ppm	5.6
17	Copper as Cu	Ppm	BDL
18	Iron as Fe	Ppm	0.039
19	Cadmium as cd	Ppm	1.4
20	Manganese as Mn	Ppm	BDL
21	Calcium hardness as CaCO ₃	Ppm	25.6

Flahy
Authorized Signatory





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/0009

Date: 02-02-2019

Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sontyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Date of sample collection	28-01-2019
Description of Sample	Bore well Water(Near Saripalli –Sub Base Camp)

WATER ANALYSIS

Physical Tests:-

Sl.No	Parameter	Units	Result
01	pH	---	6.97
02	Color	Hazen	4.4
03	Odor	---	Odorless
04	Taste	---	Agreeable
05	Turbidity	NTU	7.5
06	Total Dissolved solids	Ppm	332
07	Electrical Conductivity	μ mhos/cm	828
General&Non Metallic:-			
08	Total hardness as CaCO ₃	Ppm	152
09	Alkalinity	Ppm	96
10	Chlorides as Cl	Ppm	117
11	Fluoride as F ⁻	Ppm	0.52
12	Sulphate as So ₄	Ppm	9.45
13	Residual Free Chlorine	Ppm	<0.1
14	Cyanide as Cn	Ppm	NIL
15	Nitrates as NO ₃ ⁻	Ppm	4.8



Regd. Office: 1st Floor, N-5/305, IRC Village, Nayapalli, Bhubaneswar-751015, Odisha, India

Branch Office: Plot No-142/1, Eruvada Junction, Sabbavaram, Visakhapatnam-531035

E-mail: cemc.rasp@gmail.com | sepl.sjn@gmail.com, Mobile: 80199 55444, 333



CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

TRACE METALS:-

16	Magnesium hardness as CaCO ₃	Ppm	5.2
17	Copper as Cu	Ppm	BDL
18	Iron as Fe	Ppm	0.030
19	Cadmium as cd	Ppm	1.1
20	Manganese as Mn	Ppm	BDL
21	Calcium hardness as CaCO ₃	Ppm	23.9


Authorized Signatory





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/0010


Date: 02-02-2019

Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sontyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Date of sample collection	28-01-2019
Description of Sample	Hand Pump Water(Near Chinage 720 + 200 – B.Jangalapalem)

WATER ANALYSIS

Physical Tests:-

Sl.No	Parameter	Units	Result
01	pH	---	6.94
02	Color	Hazen	4.1
03	Odor	---	Odorless
04	Taste	---	Agreeable
05	Turbidity	NTU	7.8
06	Total Dissolved solids	Ppm	370
07	Electrical Conductivity	µmhos/cm	842
General&Non Metallic:-			
08	Total hardness as CaCO ₃	Ppm	159
09	Alkalinity	Ppm	104
10	Chlorides as Cl	Ppm	121
11	Fluoride as F ⁻	Ppm	0.55
12	Sulphate as So ₄	Ppm	9.49
13	Residual Free Chlorine	Ppm	<0.1
14	Cyanide as Cn	Ppm	NIL
15	Nitrates as NO ₃	Ppm	5.1






CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

TRACE METALS:-

16	Magnesium hardness as CaCO ₃	Ppm	5.7
17	Copper as Cu	Ppm	BDL
18	Iron as Fe	Ppm	0.034
19	Cadmium as cd	Ppm	1.3
20	Manganese as Mn	Ppm	BDL
21	Calcium hardness as CaCO ₃	Ppm	25.1


Authorized Signatory





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/0011


Date: 02-02-2019

Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sontyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Date of sample collection	28-01-2019
Description of Sample	Soil Sample (Near Anakapalli by pass road)

SOIL ANALYSIS REPORT

Sl. No	Parameters	Result	Units
01	Physical state	Solid
02	Electrical Conductivity	163	μ mohrs
03	pH	6.56
04	Silica as so_2	53.5	Wt%
05	Aluminium as Al_2O_3	7.8	Wt%
06	Iron as Fe_2O_3	0.86	Wt%
07	Calcium as cao	5.4	Wt%
08	Magnesium Mgo	1.721	Wt%
09	Sodium Na_2O	1.64	Wt%

Prabu
Authorized Signatory





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/0012


Date: 02-02-2019

Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sonyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Date of sample collection	28-01-2019
Description of Sample	Soil Sample (Near Sabbavaram by pass road)

SOIL ANALYSIS REPORT

Sl. No	Parameters	Result	Units
01	Physical state	Solid
02	Electrical Conductivity	178	μ mohrs
03	pH	6.79
04	Silica as so_2	60.3	Wt%
05	Aluminium as Al_2O_3	8.3	Wt%
06	Iron as Fe_2O_3	0.64	Wt%
07	Calcium as cao	5.9	Wt%
08	Magnesium Mgo	1.456	Wt%
09	Sodium Na_2O	1.36	Wt%


Authorized Signatory





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/0013


Date: 02-02-2019

Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sontyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Date of sample collection	28-01-2019
Description of Sample	Soil Sample (Near Pendurthi by pass road)

SOIL ANALYSIS REPORT

Sl. No	Parameters	Result	Units
01	Physical state	Solid
02	Electrical Conductivity	154	μ mohrs
03	pH	6.32
04	Silica as SO_2	57.6	Wt%
05	Aluminium as Al_2O_3	9.6	Wt%
06	Iron as Fe_2O_3	0.72	Wt%
07	Calcium as cao	6.3	Wt%
08	Magnesium Mgo	1.569	Wt%
09	Sodium Na_2O	1.59	Wt%


Authorized Signatory





CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/0014 Date: 02-02-2019

Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sontyam(post), Anandapuram ,visakhapatnam-531173,A.P.
Description of Sample	Noise Level Monitoring
Date of Noise Monitoring	28-01-2019

NOISE LEVEL REPORT

Sl. No	Location	Day Time (db-A) (6 am – 10 pm)	Night Time (db-A) (10 pm – 6 am)
AREA NAME : NEAR DG 125 KVA AT ANAKAPALLI CAMP-2 AREA			
01	Near Anakapalli Area	68.8	63.0

Note: 1. All the results are below the APPCB standards & satisfactory.

2. APPCB standards day time : 75 dB

3. APPCB standards night time : 70 dB


Authorized Signatory



Regd. Office: 1st Floor, N-5/305, IRC Village, Nayapalli, Bhubaneswar-751015, Odisha, India

Branch Office: Plot No-142/1, Eruvada Junction, Sabbavaram, Visakhapatnam-531035

E-mail: cemc.rasp@gmail.com | sepl.sjn@gmail.com, Mobile: 80199 55444, 333



CENTRE FOR ENVOTECH & MANAGEMENT CONSULTANCY PVT LTD.

Accredited by MoEF, NABL, NABET, An ISO 9001-2008 & OHSAS 18001:2007 Certified Company

CERTIFICATE OF EXAMINATION

Ref: CEMC/ES/ABL/01-19/0015		Date: 02-02-2019
Name & Address	M/S. DILIP BUILDCON LIMITED (Anandapuram-Pendurthi-Anakapalli Road project), Anandapuram(village), sontyam(post), Anandapuram ,visakhapatnam-531173,A.P.	
Description of Sample	Noise Level Monitoring	
Date of Noise Monitoring	28-01-2019	

NOISE LEVEL REPORT

Sl. No	Location	Day Time (db-A) (6 am – 10 pm)	Night Time (db-A) (10 pm – 6 am)
AREA NAME : 1. NEAR DG 400 KVA AT ANANDAPURAM CAMP-1 AREA			
01	Near Anandapuram Area	71.6	64.9

Note: 1. All the results are below the APPCB standards & satisfactory.

2. APPCB standards day time : 75 dB
3. APPCB standards night time : 70 dB


Authorized Signatory




भारत का राजपत्र
The Gazette of India

असाधारण
 EXTRAORDINARY
 भाग II—खण्ड 3—उप-खण्ड (ii)
 PART II—Section 3—sub-section (ii)
 प्रकाशक के द्वारा प्रकाशित
 PUBLISHED BY AUTHORITY

नं. 1357
 नई दिल्ली, शुक्रवार, जून 3, 2016, ज्येष्ठ 13, 1938
 No. 1357
 NEW DELHI, FRIDAY, JUNE 3, 2016, JYASTHA 13, 1938

पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय

अधिसूचना

नं. गि.नं. 2 वन, 2016

सं.सं. 1953(अ).—संविधान-संशोधन अधिनियम, 1986 के विधिवत 10, पंचोपस्थापित (संशोधन) अधिनियम, 1986 (1986) का 29) की धारा 12 की उपधारा (1) के अंतर्गत (ख) और धारा 13 द्वारा प्रकृत अधिनियम का प्रयोग करते हुए जो संविधान-संशोधन अधिनियम और इस अधिनियम की अधिसूचना में का.सं. 1174(अ), तारीख 18 अगस्त, 2007 में विद्यमानित संशोधन और संशोधन है, अर्थात् —

इस अधिसूचना में प्रकृत अधिनियम में—

(क) का.सं. 5, 13 में *5, 20, 79, 80 और 83 में 85 तथा उनमें संशोधित अधिनियम के अन्तर्गत पर अनुसूचित संस्था का मतवाक और प्रतिनिधता रखी जाएगी, अर्थात्

(1)	(2)	(3)	(4)
79	संविधान अधिनियम 1986 का 29 की धारा 12 की उपधारा (1) के अंतर्गत (ख) अधिनियम, 1986 (1986) का 29	(1) सं. संख्या 2016 का संशोधन (2) का.सं. 13 अधिनियम, 2016 (3) का.सं. 5 अधिनियम, 2016	02.06.2016 से 01.06.2021
14	संविधान अधिनियम 1986 का 29 की धारा 12 की उपधारा (1) के अंतर्गत (ख) अधिनियम, 1986 (1986) का 29	(1) सं. संख्या 2016 का संशोधन (2) सं. संख्या 2016 का संशोधन (3) का.सं. 13 अधिनियम, 2016	02.06.2016 से 01.06.2021
20	संविधान अधिनियम 1986 का 29 की धारा 12 की उपधारा (1) के अंतर्गत (ख) अधिनियम, 1986 (1986) का 29	(1) सं. संख्या 2016 का संशोधन (2) सं. संख्या 2016 का संशोधन (3) का.सं. 5 अधिनियम, 2016	02.06.2016 से 01.06.2021
85	संविधान अधिनियम 1986 का 29 की धारा 12 की उपधारा (1) के अंतर्गत (ख) अधिनियम, 1986 (1986) का 29	(1) सं. संख्या 2016 का संशोधन (2) सं. संख्या 2016 का संशोधन (3) का.सं. 5 अधिनियम, 2016	02.06.2016 से 01.06.2021

1986, 2016

TRUE COPY / VERIFIED ATTESTED


 10/7/16

34	M/S Nopinton International Management Solutions Pvt. Ltd. Unit 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000	(1) Shri. B. Lalit (2) Shri. A. K. Prasad (3) Shri. S. S. Wadga	02.06.2016 00 01.06.2021
35	M/S. (PVT.) CONSULTING & SERVICES B-10, Phase II, Sector 10, Gurgaon (Haryana) 122001	(1) Shri. Dinesh Gupta (2) Shri. Dinesh Bhatnagar (3) Shri. Babu Dhillon	02.06.2016 00 01.06.2021
36	M/S. Haryana User House & Consulting Services 50-C, Sector-25, Part-II, HUDA, Panchsara, Haryana-152104.	(1) Shri. Geeta Jyoti (2) Shri. Laxmi Kant Bhardwaj (3) Shri. Vijay Saini	02.06.2016 00 01.06.2021
37	M/S. Bhatnagar Associates International Pvt. Ltd. Sector 10, Part II, Gurgaon, Haryana Road No. 10, Sector 10, Gurgaon-122001	(1) Shri. Sandip Chandra (2) Shri. Mukesh Chand Agarwal (3) Shri. Sourabh Dhillon	02.06.2016 00 01.06.2021

On after serial number 127 and the entries relating thereto, the following serial number and entries shall be inserted, namely:-

38	M/S. Panchsara C. Builders Pvt. Ltd. Plot No. 10/1, 10/2, 10/3, 10/4, 10/5, 10/6, 10/7, 10/8, 10/9, 10/10, 10/11, 10/12, 10/13, 10/14, 10/15, 10/16, 10/17, 10/18, 10/19, 10/20, 10/21, 10/22, 10/23, 10/24, 10/25, 10/26, 10/27, 10/28, 10/29, 10/30, 10/31, 10/32, 10/33, 10/34, 10/35, 10/36, 10/37, 10/38, 10/39, 10/40, 10/41, 10/42, 10/43, 10/44, 10/45, 10/46, 10/47, 10/48, 10/49, 10/50, 10/51, 10/52, 10/53, 10/54, 10/55, 10/56, 10/57, 10/58, 10/59, 10/60, 10/61, 10/62, 10/63, 10/64, 10/65, 10/66, 10/67, 10/68, 10/69, 10/70, 10/71, 10/72, 10/73, 10/74, 10/75, 10/76, 10/77, 10/78, 10/79, 10/80, 10/81, 10/82, 10/83, 10/84, 10/85, 10/86, 10/87, 10/88, 10/89, 10/90, 10/91, 10/92, 10/93, 10/94, 10/95, 10/96, 10/97, 10/98, 10/99, 10/100, 10/101, 10/102, 10/103, 10/104, 10/105, 10/106, 10/107, 10/108, 10/109, 10/110, 10/111, 10/112, 10/113, 10/114, 10/115, 10/116, 10/117, 10/118, 10/119, 10/120, 10/121, 10/122, 10/123, 10/124, 10/125, 10/126, 10/127, 10/128, 10/129, 10/130, 10/131, 10/132, 10/133, 10/134, 10/135, 10/136, 10/137, 10/138, 10/139, 10/140, 10/141, 10/142, 10/143, 10/144, 10/145, 10/146, 10/147, 10/148, 10/149, 10/150, 10/151, 10/152, 10/153, 10/154, 10/155, 10/156, 10/157, 10/158, 10/159, 10/160, 10/161, 10/162, 10/163, 10/164, 10/165, 10/166, 10/167, 10/168, 10/169, 10/170, 10/171, 10/172, 10/173, 10/174, 10/175, 10/176, 10/177, 10/178, 10/179, 10/180, 10/181, 10/182, 10/183, 10/184, 10/185, 10/186, 10/187, 10/188, 10/189, 10/190, 10/191, 10/192, 10/193, 10/194, 10/195, 10/196, 10/197, 10/198, 10/199, 10/200, 10/201, 10/202, 10/203, 10/204, 10/205, 10/206, 10/207, 10/208, 10/209, 10/210, 10/211, 10/212, 10/213, 10/214, 10/215, 10/216, 10/217, 10/218, 10/219, 10/220, 10/221, 10/222, 10/223, 10/224, 10/225, 10/226, 10/227, 10/228, 10/229, 10/230, 10/231, 10/232, 10/233, 10/234, 10/235, 10/236, 10/237, 10/238, 10/239, 10/240, 10/241, 10/242, 10/243, 10/244, 10/245, 10/246, 10/247, 10/248, 10/249, 10/250, 10/251, 10/252, 10/253, 10/254, 10/255, 10/256, 10/257, 10/258, 10/259, 10/260, 10/261, 10/262, 10/263, 10/264, 10/265, 10/266, 10/267, 10/268, 10/269, 10/270, 10/271, 10/272, 10/273, 10/274, 10/275, 10/276, 10/277, 10/278, 10/279, 10/280, 10/281, 10/282, 10/283, 10/284, 10/285, 10/286, 10/287, 10/288, 10/289, 10/290, 10/291, 10/292, 10/293, 10/294, 10/295, 10/296, 10/297, 10/298, 10/299, 10/300, 10/301, 10/302, 10/303, 10/304, 10/305, 10/306, 10/307, 10/308, 10/309, 10/310, 10/311, 10/312, 10/313, 10/314, 10/315, 10/316, 10/317, 10/318, 10/319, 10/320, 10/321, 10/322, 10/323, 10/324, 10/325, 10/326, 10/327, 10/328, 10/329, 10/330, 10/331, 10/332, 10/333, 10/334, 10/335, 10/336, 10/337, 10/338, 10/339, 10/340, 10/341, 10/342, 10/343, 10/344, 10/345, 10/346, 10/347, 10/348, 10/349, 10/350, 10/351, 10/352, 10/353, 10/354, 10/355, 10/356, 10/357, 10/358, 10/359, 10/360, 10/361, 10/362, 10/363, 10/364, 10/365, 10/366, 10/367, 10/368, 10/369, 10/370, 10/371, 10/372, 10/373, 10/374, 10/375, 10/376, 10/377, 10/378, 10/379, 10/380, 10/381, 10/382, 10/383, 10/384, 10/385, 10/386, 10/387, 10/388, 10/389, 10/390, 10/391, 10/392, 10/393, 10/394, 10/395, 10/396, 10/397, 10/398, 10/399, 10/400, 10/401, 10/402, 10/403, 10/404, 10/405, 10/406, 10/407, 10/408, 10/409, 10/410, 10/411, 10/412, 10/413, 10/414, 10/415, 10/416, 10/417, 10/418, 10/419, 10/420, 10/421, 10/422, 10/423, 10/424, 10/425, 10/426, 10/427, 10/428, 10/429, 10/430, 10/431, 10/432, 10/433, 10/434, 10/435, 10/436, 10/437, 10/438, 10/439, 10/440, 10/441, 10/442, 10/443, 10/444, 10/445, 10/446, 10/447, 10/448, 10/449, 10/450, 10/451, 10/452, 10/453, 10/454, 10/455, 10/456, 10/457, 10/458, 10/459, 10/460, 10/461, 10/462, 10/463, 10/464, 10/465, 10/466, 10/467, 10/468, 10/469, 10/470, 10/471, 10/472, 10/473, 10/474, 10/475, 10/476, 10/477, 10/478, 10/479, 10/480, 10/481, 10/482, 10/483, 10/484, 10/485, 10/486, 10/487, 10/488, 10/489, 10/490, 10/491, 10/492, 10/493, 10/494, 10/495, 10/496, 10/497, 10/498, 10/499, 10/500, 10/501, 10/502, 10/503, 10/504, 10/505, 10/506, 10/507, 10/508, 10/509, 10/510, 10/511, 10/512, 10/513, 10/514, 10/515, 10/516, 10/517, 10/518, 10/519, 10/520, 10/521, 10/522, 10/523, 10/524, 10/525, 10/526, 10/527, 10/528, 10/529, 10/530, 10/531, 10/532, 10/533, 10/534, 10/535, 10/536, 10/537, 10/538, 10/539, 10/540, 10/541, 10/542, 10/543, 10/544, 10/545, 10/546, 10/547, 10/548, 10/549, 10/550, 10/551, 10/552, 10/553, 10/554, 10/555, 10/556, 10/557, 10/558, 10/559, 10/560, 10/561, 10/562, 10/563, 10/564, 10/565, 10/566, 10/567, 10/568, 10/569, 10/570, 10/571, 10/572, 10/573, 10/574, 10/575, 10/576, 10/577, 10/578, 10/579, 10/580, 10/581, 10/582, 10/583, 10/584, 10/585, 10/586, 10/587, 10/588, 10/589, 10/590, 10/591, 10/592, 10/593, 10/594, 10/595, 10/596, 10/597, 10/598, 10/599, 10/600, 10/601, 10/602, 10/603, 10/604, 10/605, 10/606, 10/607, 10/608, 10/609, 10/610, 10/611, 10/612, 10/613, 10/614, 10/615, 10/616, 10/617, 10/618, 10/619, 10/620, 10/621, 10/622, 10/623, 10/624, 10/625, 10/626, 10/627, 10/628, 10/629, 10/630, 10/631, 10/632, 10/633, 10/634, 10/635, 10/636, 10/637, 10/638, 10/639, 10/640, 10/641, 10/642, 10/643, 10/644, 10/645, 10/646, 10/647, 10/648, 10/649, 10/650, 10/651, 10/652, 10/653, 10/654, 10/655, 10/656, 10/657, 10/658, 10/659, 10/660, 10/661, 10/662, 10/663, 10/664, 10/665, 10/666, 10/667, 10/668, 10/669, 10/670, 10/671, 10/672, 10/673, 10/674, 10/675, 10/676, 10/677, 10/678, 10/679, 10/680, 10/681, 10/682, 10/683, 10/684, 10/685, 10/686, 10/687, 10/688, 10/689, 10/690, 10/691, 10/692, 10/693, 10/694, 10/695, 10/696, 10/697, 10/698, 10/699, 10/700, 10/701, 10/702, 10/703, 10/704, 10/705, 10/706, 10/707, 10/708, 10/709, 10/710, 10/711, 10/712, 10/713, 10/714, 10/715, 10/716, 10/717, 10/718, 10/719, 10/720, 10/721, 10/722, 10/723, 10/724, 10/725, 10/726, 10/727, 10/728, 10/729, 10/730, 10/731, 10/732, 10/733, 10/734, 10/735, 10/736, 10/737, 10/738, 10/739, 10/740, 10/741, 10/742, 10/743, 10/744, 10/745, 10/746, 10/747, 10/748, 10/749, 10/750, 10/751, 10/752, 10/753, 10/754, 10/755, 10/756, 10/757, 10/758, 10/759, 10/760, 10/761, 10/762, 10/763, 10/764, 10/765, 10/766, 10/767, 10/768, 10/769, 10/770, 10/771, 10/772, 10/773, 10/774, 10/775, 10/776, 10/777, 10/778, 10/779, 10/780, 10/781, 10/782, 10/783, 10/784, 10/785, 10/786, 10/787, 10/788, 10/789, 10/790, 10/791, 10/792, 10/793, 10/794, 10/795, 10/796, 10/797, 10/798, 10/799, 10/800, 10/801, 10/802, 10/803, 10/804, 10/805, 10/806, 10/807, 10/808, 10/809, 10/810, 10/811, 10/812, 10/813, 10/814, 10/815, 10/816, 10/817, 10/818, 10/819, 10/820, 10/821, 10/822, 10/823, 10/824, 10/825, 10/826, 10/827, 10/828, 10/829, 10/830, 10/831, 10/832, 10/833, 10/834, 10/835, 10/836, 10/837, 10/838, 10/839, 10/840, 10/841, 10/842, 10/843, 10/844, 10/845, 10/846, 10/847, 10/848, 10/849, 10/850, 10/851, 10/852, 10/853, 10/854, 10/855, 10/856, 10/857, 10/858, 10
----	---



**National Accreditation Board for
Testing and Calibration Laboratories**
(A Constituent Board of Quality Council of India)



CERTIFICATE OF ACCREDITATION

**CENTRE FOR ENVOTECH AND MANAGEMENT
CONSULTANCY PVT. LTD. (LAB DIVISION)**

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

"General Requirements for the Competence of Testing & Calibration Laboratories"

for its facilities at

Plot No. 800/1274, Johal, Pahal, Bhubaneswar, Odisha

in the field of

TESTING

Certificate Number TC-6646

Issue Date 27/01/2019

Valid Until 26/01/2021

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.

(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Signed for and on behalf of NABL



89076970100030000553

Anil Relia

Anil Relia
Chief Executive Officer